


In Thurrock 205 5-year-olds (approximately 45.5% of those sampled) were examined at school by trained and calibrated examiners using the national standard method<sup>2</sup>.

Figure 1: Prevalence of experience of dental decay and mean number of teeth with experience of dental decay in 5-year-olds in Thurrock, other local authorities in the East of England and England.



**Table 1:** Experience of dental decay in 5-year-olds in Thurrock, other local authorities in the East of England and England.

Local authority	Prevalence of experience of dental decay (%)	Mean number of teeth with experience of dental decay in all examined children n (95% confidence intervals)	Mean number of teeth with experience of dental decay in children with any decay experience n (95% confidence intervals)
Peterborough	37.7	1.4 (1.05 - 1.75)	3.7 (3.03 - 4.38)
Luton	36.8	1.5 (1.16 - 1.84)	4.1 (3.39 - 4.75)
Bedford	24.7	1.0 (0.73 - 1.33)	4.2 (3.40 - 4.92)
Thurrock	23.6	0.8 (0.53 - 1.06)	3.3 (2.63 - 4.07)
England	23.4	0.8 (0.78 - 0.81)	3.4 (3.36 - 3.44)
Essex	20.4	0.6 (0.54 - 0.66)	2.9 (2.73 - 3.15)
Southend-on-Sea	20.3	0.6 (0.34 - 0.80)	2.8 (2.06 - 3.56)
East of England	19.0	0.6 (0.60 - 0.67)	3.3 (3.21 - 3.48)
Norfolk	17.3	0.7 (0.60 - 0.78)	4.0 (3.67 - 4.33)
Cambridgeshire	16.7	0.5 (0.44 - 0.63)	3.2 (2.79 - 3.61)
Suffolk	15.7	0.5 (0.42 - 0.58)	3.2 (2.85 - 3.52)
Central Bedfordshire	14.5	0.4 (0.19 - 0.61)	2.8 (1.81 - 3.74)
Hertfordshire	Did not participate		

**Table 2.** Measures of oral health among 5-year-olds in Thurrock, it's statistical neighbours, it the East of England and England.

	Thurrock	Statistical neighbour within East of England: Southend-on-Sea	Statistical neighbour comparator 1: Medway	East of England	England
Prevalence of experience of dental decay	23.6%	20.3%	25.5%	19.0%	23.4%
Mean number of teeth with experience of dental decay	0.8	0.6	0.8	0.6	0.8
Mean number of teeth with experience of decay in those with experience of dental decay	3.3	2.8	3.2	3.3	3.4
Mean number of decayed teeth in those with experience of dental decay	3.1	2.3	2.4	2.6	2.7
Proportion with active decay	22.6%	18.3%	22.7%	16.3%	20.4%
Proportion with experience of tooth extraction <sup>ii</sup>	2.6%	2.6%	2.3%	1.8%	2.2%
Proportion with dental abscess	0.9%	2.6%	0.0%	0.7%	1.0%
Proportion with teeth decayed into pulp	4.2%	6.1%	2.2%	2.5%	3.3%
Proportion with decay affecting incisorsiii	4.1%	4.0%	3.1%	3.5%	5.2%
Proportion with high levels of plaque present on upper front teeth <sup>iv</sup>	3.3%	1.3%	0.0%	0.5%	1.2%


<sup>&</sup>lt;sup>1</sup> generated by the children's services statistical neighbour benchmarking tool, the neighbour within the East of England has "Close" comparator characteristics and the national neighbour 1 has "Very Close" comparator characteristics<sup>3</sup>.

ii experience of extraction of one or more teeth on one or more occasions.

iii dental decay involving one or more surfaces of upper anterior teeth.

iv indicative of poor tooth brushing habits.


**Figure 2:** Prevalence of experience of dental decay in 5-year-olds in Thurrock, by local authority Index of Multiple Deprivation (IMD) 2019 quintiles.



IMD 2019 quintiles (within local authority)


Error bars represent 95% confidence limits

**Figure 3:** Slope index of inequality in the prevalence of experience of dental decay in 5-year-olds in the East of England.



Error bars represent 95% confidence limits

**Figure 4:** Prevalence of experience of dental decay in 5-year-olds in Thurrock, the East of England and England, by year.




Error bars represent 95% confidence limits

Table 3: Experience of dental decay in 5-year-olds in the East of England, by ethnic group.

Ethnic group	Number of children examined (N)	Prevalence of experience of dental decay (%)	Mean number of teeth with experience of dental decay among children with any experience of dental decay n (95% CI)	Prevalence of dental decay affecting incisors (%)
Asian/Asian British	336	37.2	4.2 (3.59 - 4.75)	12.8
Mixed	233	24.0	4.4 (3.54 - 5.28)	8.6
Other ethnic background	48	20.8	4.4 (2.37 - 6.43)	6.3
White	4,546	18.7	3.4 (3.17 - 3.56)	2.8
Not provided	3,118	17.6	3.1 (2.84 - 3.26)	3.2
Black/Black British	139	17.3	3.3 (2.24 - 4.43)	3.6
East of England	8,420	19.0	3.3 (3.21 - 3.48)	3.5

**Figure 5:** Prevalence of experience of dental decay in 5-year-olds in the East of England, by ethnic group.



**Table 4:** Prevalence and severity of experience of dental decay in 5-year-olds in Thurrock, by ward clusters.

Ward cluster	Prevalence of experience of dental decay (%)	Mean number of teeth with experience of dental decay in all examined children n (95% CI)	Mean number of teeth with experience of dental decay in children with any decay experience n (95% CI)
Central	19.15	1.1 (0.35 - 1.78)	5.6 (3.73 - 7.38)
East	17.02	0.5 (0.24 - 0.82)	3.1 (2.16 - 4.09)
West	31.34	0.9 (0.45 - 1.37)	2.9 (1.84 - 3.97)

## **Summary**

In Thurrock, average levels of dental decay are similar to the average for England. Within Thurrock, the highest levels of experience of dental decay are found in the West ward cluster.

The small sample size means it is not possible to provide information at ward level. Future surveys could be commissioned to provide larger samples to facilitate local analysis. Commissioning High Quality Information to Support Oral Health Improvement: A toolkit about dental epidemiology for local authorities, commissioners and partners is available to support the commissioning of oral health surveys<sup>4</sup>.

Public health interventions can improve child oral health at a local level. Local authorities improving oral health: commissioning better oral health for children and young people is available to support local authorities to commission oral health improvement programmes for children and young people aged up to 19 years<sup>5</sup>.

If further local analysis is required, please contact the national dental public health team: DentalPHIntelligence@phe.gov.uk

## References

- 1. Public Health England (2020). National Dental Epidemiology Programme for England: oral health survey of 5-year-olds 2019 [Online]. Available at: https://www.gov.uk/government/statistics/oral-health-survey-of-5-year-old-children-2019 [Accessed 29 May 2020].
- 2. Pine, C.M., Pitts, N.B. and Nugent, Z.J. (1997a). British Association for the Study of Community Dentistry (BASCD) guidance on the statistical aspects of training and calibration of examiners for surveys of child dental health. A BASCD co-ordinated dental epidemiology programme quality standard. Community Dental Health 14 (Supplement 1):18-29.
- 3. Children's services statistical neighbour benchmarking tool [online]. Available at: www.gov.uk/government/publications/local-authority-interactive-tool-lait [Accessed 29 May 2020].
- 4. Public Health England (2016). Commissioning high quality information to support oral health improvement. A toolkit about dental epidemiology for local authorities, commissioners and partners [Online]. Available at: https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment\_data/file/773332/Commissioning\_High\_Quality\_Information\_to\_Support\_Oral\_Health\_Improvement.pdf
- 5. Public Health England (2014). Local authorities improving oral health: commissioning better oral health for children and young people [Online]. Available at: https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment\_data/file/321503/CBOHMaindocumentJUNE2014.pdf

More information is available at www.gov.uk/government/collections/oral-health Please send any enquiries to DentalPHIntelligence@phe.gov.uk

PHE publications gateway number: GW-1530

© Crown Copyright, 2020. You may re-use this information (not including logos) free of charge in any format or medium, under the terms of the Open Government Licence. To view this licence, visit www.nationalarchives.gov.uk/doc/open-government-licence