



Public Health England

Welcome to the latest issue of the weekly Obesity Knowledge Update from Public Health England. This bulletin highlights new research relating to obesity and its determinants.

PHE is not responsible for the content of articles published by external organisations.

If you do not wish to receive further Obesity Knowledge Updates, please [click here to unsubscribe](#). You will continue to receive other Obesity Intelligence emails (notification of new resources etc.).

- [UK and Ireland - 4](#)
- [International - 32](#)
- [Systematic reviews - 5](#)

UK and Ireland

[Participant experiences of a low-energy total diet replacement programme: A descriptive qualitative study](#). Astbury NM, Albury C, Nourse R, Jebb SA. PLoS One. 2020 Sep 8;15(9):e0238645. doi: 10.1371/journal.pone.0238645.

[Barriers and facilitators to implementing a healthier food outlet initiative: perspectives from local governments](#). Boelsen-Robinson T, Peeters A, Thow AM, Hawkes C. Public Health Nutr. 2020 Sep 8;1-13. doi: 10.1017/S1368980020002323.

[Patterns of beverage purchases amongst British households: A latent class analysis](#). Berger N, Cummins S, Allen A, Smith RD, Cornelsen L. PLoS Med. 2020 Sep 8;17(9):e1003245. doi: 10.1371/journal.pmed.1003245.

[\[back to top\]](#)

UK and Ireland: Research related to COVID-19

[Obesity, COVID-19 and Innate Immunometabolism](#). Gleeson LE, Roche HM, Sheedy FJ. Br J Nutr. 2020 Sep 7:1-9. doi: 10.1017/S0007114520003529.

[\[back to top\]](#)

International

[Dietetic management of obesity and severe obesity in children and adolescents: A scoping review of guidelines](#). Alman KL, Lister NB, Garnett SP, Gow ML, Aldwell K, Jebeile H. Obes Rev. 2020 Sep 7. doi: 10.1111/obr.13132.

[The nutrition-related information seeking behaviours and attitudes of pregnant women with a high BMI: A qualitative study](#). Knight-Agarwal CR, Cubbage R, Sesleja R, Hinder M, Mete R. Women Birth. 2020 May;33(3):294-299. doi: 10.1016/j.wombi.2019.03.005.

Association between obesity and periodontitis in Australian adults: A single mediation analysis. Khan S, Bettiol S, Kent K, Peres M, Barnett T, Crocombe LA, Mittinty M. *J Periodontol.* 2020 Sep 9. doi: 10.1002/JPER.20-0044.

Emotion dysregulation and pediatric obesity: investigating the role of Internet addiction and eating behaviors on this relationship in an adolescent sample. Yilmaz Kafali H, Uçaktürk SA, Mengen E, Akpınar S, Ergüven Demirtaş M, Uneri OS. *Eat Weight Disord.* 2020 Sep 6. doi: 10.1007/s40519-020-00999-0.

Childhood Obesity is Associated with Poor Academic Skills and Coping Mechanisms. Gill N, Gjelsvik A, Mercurio LY, Amanullah S. *J Pediatr.* 2020 Sep 4:S0022-3476(20)31129-X. doi: 10.1016/j.jpeds.2020.09.004.

Inhibitory control and negative affect in relation to food intake among youth. Byrne ME, Shank LM, Altman DR, Swanson TN, Ramirez E, Moore NA, Rubin SG, LeMay-Russell S, Parker MN, Kaufman RE, Yang SB, Torres SL, Brady SM, Kelly NR, Tanofsky-Kraff M, Yanovski JA. *Appetite.* 2020 Sep 3:104858. doi: 10.1016/j.appet.2020.104858.

Determining barriers and facilitators to engagement for families in a family-based, multicomponent healthy lifestyles intervention for children and adolescents: a qualitative study. Wild CE, Rawiri NT, Willing EJ, Hofman PL, Anderson YC. *BMJ Open.* 2020 Sep 6;10(9):e037152. doi: 10.1136/bmjopen-2020-037152.

Gender differences in childhood bmi z-score, alimentary behaviour and lifestyle in a sample of 9-11 children. Greco E, Meo F, Cedrone F. *Clin Ter.* 2020 Sep-Oct;171(5):e425-e430. doi: 10.7417/CT.2020.2240.

Multicomponent Exercise Training Combined with Nutritional Counselling Improves Physical Function, Biochemical and Anthropometric Profiles in Obese Children: A Pilot Study. Cordellat A, Padilla B, Grattarola P, García-Lucerga C, Crehuá-Gaudiza E, Núñez F, Martínez-Costa C, Blasco-Lafarga C. *Nutrients.* 2020 Sep 6;12(9):E2723. doi: 10.3390/nu12092723.

No-meat eaters are less likely to be overweight or obese, but take dietary supplements more often: results from the Swiss National Nutrition survey menuCH. Steinbach L, Rohrmann S, Kaelin I, Krieger JP, Pestoni G, Herter-Aeberli I, Faeh D, Sych J. *Public Health Nutr.* 2020 Sep 7:1-10. doi: 10.1017/S1368980020003079.

Prevention of noncommunicable diseases by interventions in the preconception period: A FIGO position paper for action by healthcare practitioners. Jacob CM, Killeen SL, McAuliffe FM, Stephenson J, Hod M, Diaz Yamal I, Malhotra J, Mocanu E, McIntyre HD, Kihara AB, Ma RC, Divakar H, Kapur A, Ferriani R, Ng E, Henry L, Van Der Spuy Z, Rosenwaks Z, Hanson MA. *Int J Gynaecol Obstet.* 2020 Sep;151 Suppl 1:6-15. doi: 10.1002/ijgo.13331.

Controlling and less controlling feeding practices are differentially associated with child food intake and appetitive behaviors assessed in a school environment. Warkentin S, Mais LA, Ranganath K, Jansen E, Carnell S. *Pediatr Obes.* 2020 Sep 7:e12714. doi: 10.1111/ijpo.12714.

Wearable and interactive technology to share fitness goals results in weight loss but not improved diabetes outcomes. Lystrup R, Carlsen D, Sharon DJ, Crawford P. *Obes Res Clin Pract.* 2020 Sep 2:S1871-403X(20)30574-3. doi: 10.1016/j.orcp.2020.08.006.

Attitudes and Approaches to Use of Meal Replacement Products among Healthcare Professionals in Management of Excess Weight. Maston G, Franklin J, Gibson AA, Manson E, Hocking S, Sainsbury A, Markovic TP. *Behav Sci (Basel)*. 2020 Sep 7;10(9):E136. doi: 10.3390/bs10090136.

Neighborhood Socioeconomic Deprivation Associated with Fat Mass and Weight Status in Youth. Clennin M, Brown A, Lian M, Dowda M, Colabianchi N, Pate RR. *Int J Environ Res Public Health*. 2020 Sep 3;17(17):E6421. doi: 10.3390/ijerph17176421.

Unpalatable food for thought: Let marketing research guide effective public obesity interventions. Holden SS, Zlatevska N, Parkinson J, Cadario R, Dubelaar C, Lei J, Moore E, Sayarh N, Van Kerckhove A, Werle C. *Obes Rev*. 2020 Sep 9. doi: 10.1111/obr.13141.

Unmet Social Needs and Adherence to Pediatric Weight Management Interventions: Massachusetts, 2017-2019. Atkins M, Castro I, Sharifi M, Perkins M, O'Connor G, Sandel M, Taveras EM, Fiechtner L. *Am J Public Health*. 2020 Jul;110(S2):S251-S257. doi: 10.2105/AJPH.2020.305772.

BMI Trajectories from Birth to 23 Years by Cardiometabolic Risks in Young Adulthood. East P, Delker E, Blanco E, Lozoff B, Correa P, Burrows R, Gahagan S. *Obesity (Silver Spring)*. 2020 Apr;28(4):813-821. doi: 10.1002/oby.22754.

Perceptions of nursing students about individuals with obesity problems: Belief, attitude, phobia. Usta E, Bayram S, Altınbaş Akkaş Ö. *Perspect Psychiatr Care*. 2020 Sep 6. doi: 10.1111/ppc.12613.

No differences in physical activity between children with overweight and children of normal-weight. van Leeuwen J, Koes BW, Paulis WD, Bindels PJE, van Middelkoop M. *BMC Pediatr*. 2020 Sep 9;20(1):431. doi: 10.1186/s12887-020-02327-y.

12 Months later: Motivational interviewing plus nutrition psychoeducation for weight loss in primary care. Barnes RD, Ivezaj V, Martino S, Pittman BP, Paris M, Grilo CM. *Eat Weight Disord*. 2020 Sep 7. doi: 10.1007/s40519-020-00994-5.

Impact of an Internet-Based Lifestyle Intervention on Behavioral and Psychosocial Factors During Postpartum Weight Loss. Bennion KA, Tate D, Muñoz-Christian K, Phelan S. *Obesity (Silver Spring)*. 2020 Sep 4. doi: 10.1002/oby.22921.

Cardiometabolic health, visceral fat and circulating irisin levels: results from a real-world weight loss study. Miazgowski T, Kaczmarkiewicz A, Miazgowski B, Kopeć J. *J Endocrinol Invest*. 2020 Sep 6. doi: 10.1007/s40618-020-01415-1.

Considering BMI, Body Image and Desired Weight Change for Suitable Obesity Management Options. Godoy-Izquierdo D, González-Hernández J, Lara R, Rodríguez-Tadeo A, Ramírez MJ, Navarrón E, Ogallar-Blanco A, López-Mora C, Arbinaga F. *Span J Psychol*. 2020 Sep 8;23:e35. doi: 10.1017/SJP.2020.36.

Adaptation of an exercise intervention for pregnant women to community-based delivery: a study protocol. Swindle T, Martinez A, Børshiem E, Andres A. *BMJ Open*. 2020 Sep 6;10(9):e038582. doi: 10.1136/bmjopen-2020-038582.

A Community-Based Feasibility Study of Weight-Loss in Rural, Older Adults with Obesity. Batsis JA, Petersen CL, Cook SB, Al-Nimr RI, Pidgeon D, Mackenzie TA, Bartels SJ. *J Nutr Gerontol Geriatr*. 2020 Sep 9:1-13. doi: 10.1080/21551197.2020.1817226.

Eating Behaviour and Physical Fitness in 10-Year-Old Children Attending General Education and Sports Classes. Ługowska K, Kolanowski W, Trafialek J. *Int J Environ Res Public Health*. 2020 Sep 5;17(18):E6467. doi: 10.3390/ijerph17186467.

Applying the Behavior Change Technique Taxonomy to Four Multicomponent Childhood Obesity Interventions. JaKa MM, Wood C, Veblen-Mortenson S, Moore SM, Matheson D, Stevens J, Atkins L, Michie S, Adegbite-Adeniyi C, Olayinka O, Po'e EK, Kelly AM, Nicastrò H, Bangdiwala SI, Barkin SL, Pratt C, Robinson TN, Sherwood NE. *West J Nurs Res*. 2020 Sep 10:193945920954782. doi: 10.1177/0193945920954782.

Body mass index, waist circumference, and mortality risks over 27 years of follow-up in old age. O'Súilleabháin PS, Sutin AR, Gerstorf D. *Ann Epidemiol*. 2020 Jun;46:20-23. doi: 10.1016/j.annepidem.2020.04.008.

[\[back to top\]](#)

International: Research related to COVID-19

Association between antithrombin and mortality in patients with COVID-19. A possible link with obesity. Gazzaruso C, Paolozzi E, Valenti C, Brocchetta M, Naldani D, Grignani C, Salvucci F, Marino F, Coppola A, Gallotti P. *Nutr Metab Cardiovasc Dis*. 2020 Jul 28:S0939-4753(20)30315-X. doi: 10.1016/j.numecd.2020.07.040.

Weight Stigma as a Predictor of Distress and Maladaptive Eating Behaviors During COVID-19: Longitudinal Findings From the EAT Study. Puhl RM, Lessard LM, Larson N, Eisenberg ME, Neumark-Stzainer D. *Ann Behav Med*. 2020 Sep 10:kaaa077. doi: 10.1093/abm/kaaa077.

Addressing the Consequences of School Closure Due to COVID-19 on Children's Physical and Mental Well-Being. Hoffman JA, Miller EA. *World Med Health Policy*. 2020 Aug 20. doi: 10.1002/wmh3.365.

[\[back to top\]](#)

Systematic reviews

Prevalence Of, and Factors Associated with, Obesity among the Oldest Old. A Study Protocol for a Systematic Review. Hajek A, Kretzler B, König HH. *Healthcare (Basel)*. 2020 Sep 4;8(3):E319. doi: 10.3390/healthcare8030319.

Family-based nutrition interventions for obesity prevention among school-aged children: a systematic review. Perdeu M, Liu S, Naylor PJ. *Transl Behav Med*. 2020 Sep 7:ibaa082. doi: 10.1093/tbm/ibaa082.

What exercise prescription is optimal to improve body composition and cardiorespiratory fitness in adults living with obesity? A network meta-analysis. O'Donoghue G, Blake C, Cunningham C, Lennon O, Perrotta C. *Obes Rev*. 2020 Sep 8. doi: 10.1111/obr.13137.

A systematic review of existing observational tools to measure the food and physical activity environment in schools. Lane HG, Calvert HG, Deitch R, Harris R, Babatunde OT, Turner L, Hager ER, Jilcott Pitts S. *Health Place*. 2020 Sep 6;66:102388. doi: 10.1016/j.healthplace.2020.102388.

[\[back to top\]](#)

Systematic reviews: Research related to COVID-19

The impact of obesity on severe disease and mortality in people with SARS-CoV-2: A systematic review and meta-analysis. Seidu S, Gillies C, Zaccardi F, Kunutsor SK, Hartmann-Boyce J, Yates T, Singh AK, Davies MJ, Khunti K. *Endocrinol Diabetes Metab.* 2020 Aug 14:e00176. doi: 10.1002/edm2.176.

[\[back to top\]](#)