



Welcome to the latest issue of the weekly Obesity Knowledge Update from Public Health England. This bulletin highlights new research relating to obesity and its determinants.

PHE is not responsible for the content of articles published by external organisations.

If you do not wish to receive further Obesity Knowledge Updates, please [click here to unsubscribe](#). You will continue to receive other Obesity Intelligence emails (notification of new resources etc.).

- [UK and Ireland - 8](#)
- [International - 33](#)
- [Systematic reviews - 2](#)

UK and Ireland

[Promoting healthy eating in nurses](#). Davies R. Nurs Manag (Harrow). 2021 Mar 23. doi: 10.7748/nm.2021.e1974.

[Evaluation of a health-related intervention to reduce overweight, obesity and increase employment in France and the United Kingdom: a mixed-methods realist evaluation protocol](#). Amenyah SD, Murphy J, Fenge LA. BMC Public Health. 2021 Mar 24;21(1):582. doi: 10.1186/s12889-021-10523-3.

[Antenatal Fetal Size and Obesity in Five-Year-Old Children in a Large Cohort Created by Data Linkage](#). Turner S, Dick S, Foteva V, Chapman A, Aucott L. Child Obes. 2021 Mar 25. doi: 10.1089/chi.2020.0360.

[Providing patient education on portion control and healthy eating](#). Hicking-Woodison LE. Nurs Stand. 2021 Mar 25. doi: 10.7748/ns.2021.e11670.

[Lifestyle Behaviors Associated With Body Fat Percent in 9- to 11-Year-Old Children](#). Swindell N, Berridge D, McNarry MA, Mackintosh KA, Boddy LM, Fairclough SJ, Stratton G. Pediatr Exerc Sci. 2021 Mar 25;1-8. doi: 10.1123/pes.2020-0010.

[Contamination within trials of community-based public health interventions: lessons from the HENRY feasibility study](#). Stamp E, Schofield H, Roberts VL, Burton W, Collinson M, Stevens J, Farrin A, Rutter H, Bryant M. Pilot Feasibility Stud. 2021 Mar 26;7(1):88. doi: 10.1186/s40814-021-00805-3.

[\[back to top\]](#)

UK and Ireland: Research related to COVID-19

[Obesity, ethnicity and risk of critical care, mechanical ventilation and mortality in patients admitted to hospital with COVID-19: Analysis of the ISARIC CCP-UK cohort](#). Yates T, Zaccardi F, Islam N, Razieh C, Gillies CL, Lawson CA, Chudasama Y, Rowlands A, Davies MJ, Docherty AB, Openshaw PJ, Baillie JK, Semple MG; ISARIC4C investigators, Khunti K. Obesity (Silver Spring). 2021 Mar 23. doi: 10.1002/oby.23178.

Negative impact of the first COVID-19 lockdown upon health-related behaviours and psychological wellbeing in people living with severe and complex obesity in the UK. Brown A, Flint SW, Kalea AZ, O'Kane M, Williams S, Batterham RL. *EClinicalMedicine*. 2021 Mar 18;100796. doi: 10.1016/j.eclinm.2021.100796.

[\[back to top\]](#)

International

Polygenic risk for obesity and its interaction with lifestyle and sociodemographic factors in European children and adolescents. Hüls A, Wright MN, Bogl LH, Kaprio J, Lissner L, Molnár D, Moreno LA, De Henauw S, Siani A, Veidebaum T, Ahrens W, Pigeot I, Foraita R. *Int J Obes (Lond)*. 2021 Mar 22. doi: 10.1038/s41366-021-00795-5.

Environmental mismatch and obesity in humans: The Jerusalem Perinatal Family Follow-Up Study. Savitsky B, Manor O, Lawrence G, Friedlander Y, Siscovick DS, Hochner H. *Int J Obes (Lond)*. 2021 Mar 24. doi: 10.1038/s41366-021-00802-9.

Friend or foe? A qualitative study exploring the relationship of people with obesity and food consumption. Broers VJ, De Mol J, Van den Broucke S, Luminet O. *Nutr Health*. 2021 Mar 22;2601060211001488. doi: 10.1177/02601060211001488.

Gender disparities in childhood obesity and household food insecurity. Bae JH, Choi JH. *Nutrition*. 2021 Feb 9;87-88:111190. doi: 10.1016/j.nut.2021.111190.

A study on prospective associations between adiposity and 7-year changes in movement behaviors among older women based on compositional data analysis. Pelclová J, Štefelová N, Olds T, Dumuid D, Hron K, Chastin S, Pedišić Ž. *BMC Geriatr*. 2021 Mar 23;21(1):203. doi: 10.1186/s12877-021-02148-3.

Healthier together: a pilot study on the implementation of a novel family centered pediatric obesity prevention program. Bach M, Shenoi S, Winger K, Hendriksz T. *J Osteopath Med*. 2021 Mar 22. doi: 10.1515/jom-2020-0143.

Impact of a year-round school calendar on children's BMI and fitness: Final outcomes from a natural experiment. Weaver RG, Hunt E, Armstrong B, Beets MW, Brazendale K, Turner-McGrievy G, Pate RR, Maydeu-Olivares A, Saelens B, Youngstedt SD, Dugger R, Parker H, von Klingraeff L, Jones A, Burkhart S, Ressor-Oyer L. *Pediatr Obes*. 2021 Mar 25:e12789. doi: 10.1111/ijpo.12789.

Evolution of a Coalition Network during a Whole-of-Community Intervention to Prevent Early Childhood Obesity. Korn AR, Hammond RA, Hennessy E, Must A, Pachucki MC, Economos CD. *Child Obes*. 2021 Mar 23. doi: 10.1089/chi.2020.0156.

Digital Therapeutics for Obesity and Eating-Related Problems. Kim M, Choi HJ. *Endocrinol Metab (Seoul)*. 2021 Mar 24. doi: 10.3803/EnM.2021.107.

Effects of Communicating Prevalence Information about Two Common Health Conditions. Liu J, Niederdeppe J. *Health Commun*. 2021 Mar 21:1-12. doi: 10.1080/10410236.2021.1895417.

Attitudes, behaviours and strategies towards obesity patients in primary care: A qualitative interview study with general practitioners in Germany. Wangler J, Jansky M. *Eur J Gen Pract*. 2021 Dec;27(1):27-34. doi: 10.1080/13814788.2021.1898582.

Physician-related predictors of referral for multidisciplinary paediatric obesity management: a population-based study. Gehring ND, Kebbe M, Rathwell S, Perez A, Peng C, Zendher E, Ho J, Ball GDC. *Fam Pract*. 2021 Mar 23:cmab019. doi: 10.1093/fampra/cmab019.

An ecological momentary assessment study of physical activity behaviors among mothers of toddlers from low-income households. Campbell KL, Wang Y, Kuhn AP, Black MM, Hager ER. BMC Womens Health. 2021 Mar 22;21(1):120. doi: 10.1186/s12905-021-01243-2.

Personality traits and BMI trends over three years in Japanese university students. Fukuhara-Makiyama N, Hayashida M, Kobayashi M, Sagara I, Ogawa S, Maeda M, Shirabe S. PLoS One. 2021 Mar 22;16(3):e0248833. doi: 10.1371/journal.pone.0248833.

Physical activity intervention for rural middle-aged and older Australian adults: a pilot implementation study of the ecofit program delivered in a real-world setting. Wilczynska M, Jansson AK, Lubans DR, Smith JJ, Robards SL, Plotnikoff RC. Pilot Feasibility Stud. 2021 Mar 24;7(1):81. doi: 10.1186/s40814-021-00823-1.

Associations of parenting factors and weight related outcomes in African American adolescents with overweight and obesity. Loncar H, Wilson DK, Sweeney AM, Quattlebaum M, Zarrett N. J Behav Med. 2021 Mar 9. doi: 10.1007/s10865-021-00208-y.

Caregiver perceptions of weight in preschool children, and determinants of engagement in a multidisciplinary intervention service for weight issues. Cave TL, Derraik JGB, Willing EJ, Hofman PL, Anderson YC. Obes Res Clin Pract. 2021 Mar 17:S1871-403X(21)00044-2. doi: 10.1016/j.orcp.2021.03.002.

An analysis of weight loss efforts and expectations in a Canadian Cohort: A retrospective medical chart review. Kuk JL, Dehlehhosseinzadeh M, Kamran E, Wharton S. Clin Obes. 2021 Mar 21:e12449. doi: 10.1111/cob.12449.

Novel behavioral interventions to improve long-term weight loss: A randomized trial of acceptance and commitment therapy or self-regulation for weight loss maintenance. Lillis J, Dunsiger S, Thomas JG, Ross KM, Wing RR. J Behav Med. 2021 Mar 27. doi: 10.1007/s10865-021-00215-z.

Job Absenteeism Costs of Obesity in the United States: National and State-Level Estimates. Cawley J, Biener A, Meyerhoefer C, Ding Y, Zvenyach T, Smolarz BG, Ramasamy A. J Occup Environ Med. 2021 Mar 23. doi: 10.1097/JOM.0000000000002198.

The Relationship Between the Healthy Diet Index, Chronic Diseases, Obesity and Lifestyle Risk Factors Among Adults in Kaunas City, Lithuania. Dėdelė A, Bartkutė Ž, Chebotarova Y, Miškinytė A. Front Nutr. 2021 Mar 5;8:599567. doi: 10.3389/fnut.2021.599567

Federal Nutrition Programs after the Pandemic: Learning from P-EBT and SNAP to Create the Next Generation of Food Safety Net Programs. Balasuriya L, Berkowitz SA, Seligman HK. Inquiry. 2021 Jan-Dec;58:469580211005190. doi: 10.1177/00469580211005190.

A longitudinal analysis of fast-food exposure on child weight outcomes: Identifying causality through school transitions. Dunn RA, Nayga RM Jr, Thomsen MR, Rouse HL. Q Open. 2021 Jan 14;1(1):qoaa007. doi: 10.1093/qopen/qoaa007.

Evaluating the Influence of the Complete Health Improvement Program (CHIP) on Blood Glucose, Blood Pressure, and Weight. Davis JL. J Lifestyle Med. 2021 Jan 31;11(1):33-37. doi: 10.15280/jlm.2021.11.1.33.

Leisure time physical activity throughout adulthood is associated with lower medicare costs: evidence from the linked NIH-AARP diet and health study cohort. Coughlan D, Saint-Maurice PF, Carlson SA, Fulton J, Matthews CE. BMJ Open Sport Exerc Med. 2021 Mar 5;7(1):e001038. doi: 10.1136/bmjsem-2021-001038.

Weight stigma experiences and self-exclusion from sport and exercise settings among people with obesity. Thedinga HK, Zehl R, Thiel A. BMC Public Health. 2021 Mar 22;21(1):565. doi: 10.1186/s12889-021-10565-7.

[\[back to top\]](#)

International: Research related to COVID-19

Obesity pandemic during COVID-19 outbreak: Narrative review and future considerations. Cava E, Neri B, Carbonelli MG, Riso S, Carbone S. Clin Nutr. 2021 Mar 2;40(4):1637-1643. doi: 10.1016/j.clnu.2021.02.038.

Multinational dietary changes and anxiety during the coronavirus pandemic-findings from Israel. Kaufman-Shriqui V, Navarro DA, Raz O, Boaz M. Isr J Health Policy Res. 2021 Mar 23;10(1):28. doi: 10.1186/s13584-021-00461-1.

Patients with Severe Obesity during the COVID-19 Pandemic: How to Maintain an Adequate Multidisciplinary Nutritional Rehabilitation Program? De Amicis R, Cancellato R, Capodaglio P, Gobbi M, Brunani A, Gilardini L, Castenuovo G, Molinari E, Barbieri V, Mambrini SP, Battezzati A, Bertoli S. Obes Facts. 2021 Mar 19:1-9. doi: 10.1159/000513283.

The Timing, Nature and Extent of Social Media Marketing by Unhealthy Food and Drinks Brands During the COVID-19 Pandemic in New Zealand. Gerritsen S, Sing F, Lin K, Martino F, Backholer K, Culpin A, Mackay S. Front Nutr. 2021 Mar 5;8:645349. doi: 10.3389/fnut.2021.645349.

A COVID-19 Crisis in Child Physical Fitness: Creating a Barometric Tool of Public Health Engagement for the Republic of Slovenia. Jurak G, Morrison SA, Kovač M, Leskošek B, Sember V, Strel J, Starc G. Front Public Health. 2021 Mar 5;9:644235. doi: 10.3389/fpubh.2021.644235.

COVID-19-related school closing aggravate obesity and glucose intolerance in pediatric patients with obesity. Kim ES, Kwon Y, Choe YH, Kim MJ. Sci Rep. 2021 Mar 9;11(1):5494. doi: 10.1038/s41598-021-84766-w.

Exploring eating and exercise-related indicators during COVID-19 quarantine in Portugal: concerns and routine changes in women with different BMI. Coimbra M, Paixão C, Ferreira C. Eat Weight Disord. 2021 Mar 22:1-8. doi: 10.1007/s40519-021-01163-y.

[\[back to top\]](#)

Systematic reviews

A systematic review of economic evaluations of web-based or telephone-delivered interventions for preventing overweight and obesity and/or improving obesity-related behaviors. Brown V, Tran H, Downing KL, Hesketh KD, Moodie M. Obes Rev. 2021 Mar 24. doi: 10.1111/obr.13227.

Enablers and barriers to women's lifestyle behavior change during the preconception period: A systematic review. Kandel P, Lim S, Pirota S, Skouteris H, Moran LJ, Hill B. Obes Rev. 2021 Mar 22. doi: 10.1111/obr.13235.

[\[back to top\]](#)