



Welcome to the latest issue of the weekly Obesity Knowledge Update from Public Health England. This bulletin highlights new research relating to obesity and its determinants.

PHE is not responsible for the content of articles published by external organisations.

If you do not wish to receive further Obesity Knowledge Updates, please [click here to unsubscribe](#). You will continue to receive other Obesity Intelligence emails (notification of new resources etc.).

- [UK and Ireland - 6](#)
- [International - 40](#)
- [Systematic reviews - 1](#)

## UK and Ireland

[Fifteen-minute consultation: The child with obesity](#). Low A, Parry-Okeden S, Ferguson EC, Wright N, Elder CJ. Arch Dis Child Educ Pract Ed. 2021 Apr 8:edpract-2020-321029. doi: 10.1136/archdischild-2020-321029.

[Sociodemographic differences in self-reported exposure to high fat, salt and sugar food and drink advertising: a cross-sectional analysis of 2019 UK panel data](#). Yau A, Adams J, Boyland EJ, Burgoine T, Cornelsen L, de Vocht F, Egan M, Er V, Lake AA, Lock K, Mytton O, Petticrew M, Thompson C, White M, Cummins S. BMJ Open. 2021 Apr 7;11(4):e048139. doi: 10.1136/bmjopen-2020-048139.

[Identifying and measuring the behavioural, dietary, and physical activity components of weight management consultations delivered by general practice nurses in routine care](#). Tong H, Morris E, Jebb SA, Koutoukidis DA. BMC Fam Pract. 2021 Apr 7;22(1):65. doi: 10.1186/s12875-021-01403-1.

[Pre-pregnancy maternal BMI classification is associated with preschool childhood diet quality and childhood obesity in the Avon Longitudinal Study of Parents and Children](#). Hudson P, Emmett PM, Taylor CM. Public Health Nutr. 2021 Apr 6:1-19. doi: 10.1017/S1368980021001476.

[Professional stakeholder's views of adolescent weight management programmes: a qualitative study](#). Jones HM, Oyebo O, Melendez-Torres GJ, Al-Khudairy L. BMC Res Notes. 2021 Apr 3;14(1):125. doi: 10.1186/s13104-021-05512-z.

[Barriers and Facilitators for Implementing Paediatric Telemedicine: Rapid Review of User Perspectives](#). Tully L, Case L, Arthurs N, Sorensen J, Marcin JP, O'Malley G. Front Pediatr. 2021 Mar 17;9:630365. doi: 10.3389/fped.2021.630365.

[\[back to top\]](#)

## International

**How to Perform a Nutritional Assessment in a First-Line/General Practice.** Hesta M, Shepherd M. *Vet Clin North Am Equine Pract.* 2021 Apr;37(1):21-41. doi: 10.1016/j.cveq.2020.12.001.

**Randomized controlled trials of self-monitoring interventions with or without incentives for diet and exercise among individuals with overweight or obesity: Psychological and behavioural effects.** Gardiner CK, Bryan AD. *Br J Health Psychol.* 2021 Apr 9. doi: 10.1111/bjhp.12523.

**Perceptions of a Pragmatic Family-Centered Approach to Childhood Obesity Treatment.** Kennedy BM, Davison G, Fowler LA, Rodriguez-Guzman E, Collins ML, Baker A, Cook S, Lindros J, Wilfley DE, Zebrick AJ, Staiano AE, Ochsner J. *Ochsner J.* 2021 Spring;21(1):30-40. doi: 10.31486/toj.19.0126.

**Adolescents who are overweight or obese - the relevance of a social network to engaging in physical activity: a qualitative study.** Skogen IB, Høydal KL. *BMC Public Health.* 2021 Apr 9;21(1):701. doi: 10.1186/s12889-021-10727-7.

**Weight Loss through Lifestyle Intervention Improves Mobility in Older Adults.** Albert SM, Venditti EM, Boudreau RM, Kieffer LA, Rager JR, Zgibor JC, Vander Bilt J, Danielson ME, Burke LE, Glynn NW, Jakicic JM, Smith KJ, Semler LN, Newman AB. *Gerontologist.* 2021 Apr 5:gnab048. doi: 10.1093/geront/gnab048.

**Sugary drink advertising expenditure across Australian media channels 2016-2018.** Haynes A, Bayly M, Dixon H, McAleese A, Martin J, Chen YJM, Wakefield M. *Aust N Z J Public Health.* 2021 Apr 5. doi: 10.1111/1753-6405.13103.

**Trends in health behavior and weight outcomes following enhanced afterschool programming participation.** Rieder J, Moon JY, Joels J, Shankar V, Meissner P, Johnson-Knox E, Frohlich B, Davies S, Wylie-Rosett J. *BMC Public Health.* 2021 Apr 7;21(1):672. doi: 10.1186/s12889-021-10700-4.

**Misperceptions about added sugar, non-nutritive sweeteners and juice in popular children's drinks: Experimental and cross-sectional study with U.S. parents of young children (1-5 years).** Harris JL, Pomeranz JL. *Pediatr Obes.* 2021 Apr 7:e12791. doi: 10.1111/ijpo.12791.

**Effect of Various Types of Intermittent Fasting (IF) on Weight Loss and Improvement of Diabetic Parameters in Human.** Nowosad K, Sujka M. *Curr Nutr Rep.* 2021 Apr 7. doi: 10.1007/s13668-021-00353-5.

**Association between lifestyle habits and the prevalence of abdominal obesity after the Great East Japan Earthquake: The Fukushima Health Management Survey.** Uemura MY, Ohira T, Yasumura S, Sakai A, Takahashi A, Hosoya M, Nagao M, Nakano H, Ohto H, Kamiya K. *J Epidemiol.* 2021 Apr 3. doi: 10.2188/jea.JE20200597.

**Teaching Medical Students to Help Patients Manage Their Weight: Outcomes of an Eight-School Randomized Controlled Trial.** Ockene JK, Pbert L, Crawford S, Frisard CF, Pendharkar JA, Sadasivam RS, Faro J, Okuliar C, Eno C, Margo K, Shaw MA, Soleymani T, Stadler DD, Warriar S, White K, Geller AC. *J Gen Intern Med.* 2021 Apr 9:1-8. doi: 10.1007/s11606-020-06571-x.

Executive Functioning, Depressive Symptoms, and Intervention Engagement in a Sample of Adolescents Enrolled in a Weight Management Program. Lopez KE, Salvy SJ, Fink C, Werner J, Wee CP, Hegedus E, Gonzalez J, Fox DS, Vidmar AP. *Child Obes.* 2021 Apr 7. doi: 10.1089/chi.2020.0334.

Impact of self-determination theory in a physiotherapeutic training : A pilot-study on motivation for movement of obese adolescents. Strepfl J, Wutzl T, Ün D, Greber-Platzer S, Keilani M, Crevenna R, Thajer A. *Wien Klin Wochenschr.* 2021 Apr 9:1-7. doi: 10.1007/s00508-021-01849-4.

24-h Movement Guidelines and Substance Use among Adolescents: A School-Based Cross-Sectional Study. Sampasa-Kanyinga H, Colman I, Goldfield GS, Janssen I, Wang J, Hamilton HA, Chaput JP. *Int J Environ Res Public Health.* 2021 Mar 23;18(6):3309. doi: 10.3390/ijerph18063309.

Awareness of and reactions to the health harms of sugary drinks: An online study of U.S. parents. Carl AE, Taillie LS, Grummon AH, Lazard AJ, Higgins I, Sheldon JM, Hall MG. *Appetite.* 2021 Apr 3:105234. doi: 10.1016/j.appet.2021.105234.

An action-oriented framework for systems-based solutions aimed at childhood obesity prevention in US Latinx and Latin American populations. Garcia LMT, Hunter RF, de la Haye K, Economos CD, King AC. *Obes Rev.* 2021 Apr 7:e13241. doi: 10.1111/obr.13241.

Built environment in programs to promote physical activity among Latino children and youth living in the United States and in Latin America. Sarmiento OL, Rubio MA, King AC, Serrano N, Hino AAF, Hunter RF, Aguilar-Farias N, Parra DC, Salvo D, Jáuregui A, Lee RE, Kohl B. *Obes Rev.* 2021 Apr 6:e13236. doi: 10.1111/obr.13236.

Social Network Analysis of the Effects of a Social Media-Based Weight Loss Intervention Targeting Adults of Low Socioeconomic Status: Single-Arm Intervention Trial. Xu R, Cavallo D. *J Med Internet Res.* 2021 Apr 9;23(4):e24690. doi: 10.2196/24690.

Leading by Example: Association Between Mother and Child Objectively Measured Physical Activity and Sedentary Behavior. Julius BR, O'Shea AMJ, Francis SL, Janz KF, Laroche H. *Pediatr Exerc Sci.* 2021 Apr 5:1-12. doi: 10.1123/pes.2020-0058.

Patterns of self-monitoring technology use and weight loss in people with overweight or obesity. Robertson MC, Raber M, Liao Y, Wu I, Parker N, Gatus L, Le T, Durand CP, Basen-Engquist KM. *Transl Behav Med.* 2021 Apr 10:ibab015. doi: 10.1093/tbm/ibab015.

International evidence for the effectiveness of the front-of-package nutrition label called Nutri-Score. Andreeva VA, Egnell M, Touvier M, Galan P, Julia C, Hercberg S. *Cent Eur J Public Health.* 2021 Mar;29(1):76-79. doi: 10.21101/cejph.a6239.

Longitudinal associations of fruit juice intake in infancy with DXA-measured abdominal adiposity in mid-childhood and early adolescence. Wu AJ, Aris IM, Rifas-Shiman SL, Oken E, Taveras EM, Hivert MF. *Am J Clin Nutr.* 2021 Apr 7:nqab043. doi: 10.1093/ajcn/nqab043.

Translating evidence-based behavioral weight loss into a multi-level, community intervention within a community-based participatory research framework: the Wellness Engagement (WE) Project. LaRose JG, Lanoye A, Ferrell D, Lu J, Mosavel M. *Transl Behav Med.* 2021 Apr 5:ibaa140. doi: 10.1093/tbm/ibaa140.

Relevance of the Aboriginal Rethink Sugary Drink media campaign to Aboriginal and non-Aboriginal audiences in regional Victoria. Browne J, MacDonald C, Egan M, Carville K, Delbridge R, Backholer K. Aust N Z J Public Health. 2021 Apr 5. doi: 10.1111/1753-6405.13086.

New obesity treatment: Fasting, exercise and low carb diet - The NOT-FED study. O'Driscoll T, Minty R, Poirier D, Poirier J, Hopman W, Willms H, Goertzen A, Madden S, Kelly L. Can J Rural Med. 2021 Apr-Jun;26(2):55-60. doi: 10.4103/CJRM.CJRM\_1\_20.

Predictors and Outcomes of Digital Weighing and Activity Tracking Lapses Among Young Adults During Weight Gain Prevention. Nezami BT, Valle CG, Nulty AK, Espeland M, Wing RR, Tate DF. Obesity (Silver Spring). 2021 Apr;29(4):698-705. doi: 10.1002/oby.23123.

Describing the Weight-Reduced State: Physiology, Behavior, and Interventions. Aronne LJ, Hall KD, M Jakicic J, Leibel RL, Lowe MR, Rosenbaum M, Klein S. Obesity (Silver Spring). 2021 Apr;29 Suppl 1:S9-S24. doi: 10.1002/oby.23086.

Return on Investment: Medical Savings of an Employer-Sponsored Digital Intensive Lifestyle Intervention, Weight Loss. Horstman CM, Ryan DH, Aronne LJ, Apovian CM, Foreyt JP, Tuttle HM, Williamson DA. Obesity (Silver Spring). 2021 Apr;29(4):654-661. doi: 10.1002/oby.23117.

Family influence on childhood excess weight in the Region of Murcia, Spain. Jiménez Candel MI, Mondéjar Jiménez J, Gómez Navarro AJ, Monreal Tomás AB. Arch Argent Pediatr. 2021 Apr;119(2):99-105. doi: 10.5546/aap.2021.eng.99.

Relationships of Physical Activity and Diet Quality with Body Composition and Fat Distribution in US Adults. Xu F, Greene GW, Earp JE, Adami A, Delmonico MJ, Lofgren IE, Greaney ML. Obesity (Silver Spring). 2020 Dec;28(12):2431-2440. doi: 10.1002/oby.23018.

A Mobile Health Behavior Intervention to Reduce Pain and Improve Health in Older Adults With Obesity and Chronic Pain: The MORPH Pilot Trial. Fanning J, Brooks AK, Ip E, Nicklas BJ, Rejeski WJ, Nesbit B, Ford S. Front Digit Health. 2020 Dec;2:598456. doi: 10.3389/fdgh.2020.598456.

Counselor Surveillance of Digital Self-Monitoring Data: A Pilot Randomized Controlled Trial. Butryn ML, Martinelli MK, Crane NT, Godfrey K, Roberts SR, Zhang F, Forman EM. Obesity (Silver Spring). 2020 Dec;28(12):2339-2346. doi: 10.1002/oby.23015.

Maternal Employment and Infant BMI z Score in a US Birth Cohort. Oddo VM, Hoyo C, Østbye T, Benjamin-Neelon SE. Obesity (Silver Spring). 2020 Dec;28(12):2389-2396. doi: 10.1002/oby.23009.

Associations of Early Parental Concerns and Feeding Behaviors with Child's Diet Quality through Mid-Childhood. Gingras V, Switkowski KM, Rifas-Shiman SL, Faleschini S, Oken E, Hivert MF. Nutrients. 2020 Oct 22;12(11):3231. doi: 10.3390/nu12113231.

Time spent exercising and obesity: An application of Lewbel's instrumental variables method. Courtemanche C, Pinkston JC, Stewart J. Econ Hum Biol. 2020 Oct 31;41:100940. doi: 10.1016/j.ehb.2020.100940.

[\[back to top\]](#)

## ***International: Research related to COVID-19***

**Obesity and its impact on COVID-19.** de Leeuw AJM, Oude Luttikhuis MAM, Wellen AC, Müller C, Calkhoven CF. *J Mol Med (Berl)*. 2021 Apr 6:1-17. doi: 10.1007/s00109-021-02072-4.

**Abdominal obesity phenotype is associated with COVID-19 chest X-ray severity score better than BMI-based obesity.** Malavazos AE, Secchi F, Basilico S, Capitano G, Boveri S, Milani V, Dubini C, Schiaffino S, Morricone L, Foschini C, Gobbo G, Piccinni R, Saibene A, Sardanelli F, Menicanti L, Guazzi M, Dong C, Romanelli MMC, Carruba M, Iacobellis G. *Eat Weight Disord*. 2021 Apr 5:1-15. doi: 10.1007/s40519-021-01173-w.

**Changes in diet and food shopping behaviors among Asian-American adults due to COVID-19.** Rummo PE, Naik R, Thorpe LE, Yi SS. *Obes Sci Pract*. 2021 Feb 23:10.1002/osp4.485. doi: 10.1002/osp4.485.

**The Influence of COVID-19-Related Stress on Food Motivation.** Smith KR, Jansen E, Thapaliya G, Aghababian AH, Chen L, Sadler JR, Carnell S. *Appetite*. 2021 Apr 2:105233. doi: 10.1016/j.appet.2021.105233.

**Obesity is a Major Risk Factor for Hospitalization in Community-Managed COVID-19 Pneumonia.** Cottini M, Lombardi C, Berti A; Primary Care Physicians, ATS Province of Bergamo, Italy. *Mayo Clin Proc*. 2021 Apr;96(4):921-931. doi: 10.1016/j.mayocp.2021.01.021.

[\[back to top\]](#)

## **Systematic reviews**

**Comparison of High-Intensity Training Versus Moderate-Intensity Continuous Training on Cardiorespiratory Fitness and Body Fat Percentage in Persons With Overweight or Obesity: A Systematic Review and Meta-Analysis of Randomized Controlled Trials.** Rugbeer N, Constantinou D, Torres G. *J Phys Act Health*. 2021 Apr 9:1-14. doi: 10.1123/jpah.2020-0335.

[\[back to top\]](#)