



Office for Health Improvement and Disparities

Welcome to the latest issue of the weekly Obesity Knowledge Update from the Office for Health Improvement and Disparities (OHID). This bulletin highlights new research relating to obesity and its determinants.

OHID is not responsible for the content of articles published by external organisations.

If you do not wish to receive further Obesity Knowledge Updates, please [click here to unsubscribe](#). You will continue to receive other Obesity Intelligence emails (notification of new resources etc.).

- UK and Ireland - 4
- International - 36
- Systematic reviews - 0

UK and Ireland

Challenges in obtaining accurate anthropometric measures for adults with severe obesity: A community-based study. Williamson K, Blane DN, Lean MEJ. Scand J Public Health. 2022 May 1:14034948221089111. doi: 10.1177/14034948221089111.

BMI is dead; long live waist-circumference indices: But which index should we choose to predict cardio-metabolic risk? Nevill AM, Duncan MJ, Myers T. Nutr Metab Cardiovasc Dis. 2022 Apr 10:S0939-4753(22)00173-9. doi: 10.1016/j.numecd.2022.04.003.

Exploring the obesity concerns of British Pakistani women living in deprived inner-city areas: A qualitative study. Iqbal H, West J, McEachan RRC, Haith-Cooper M. Health Expect. 2022 May 6. doi: 10.1111/hex.13527.

Uptake and impact of the English National Health Service digital diabetes prevention programme: observational study. Ross JAD, Barron E, McGough B, Valabhji J, Daff K, Irwin J, Henley WE, Murray E. BMJ Open Diabetes Res Care. 2022 May;10(3):e002736. doi: 10.1136/bmjdrc-2021-002736.

[\[back to top\]](#)

International

Nutritional habits according to age and BMI of 6-17-year-old children from the urban municipality in Poland. Basiak-Rasała A, Górná S, Krajewska J, Kolator M, Pazdro-Zastawny K, Basiak A, Zatoński T. J Health Popul Nutr. 2022 May 7;41(1):17. doi: 10.1186/s41043-022-00296-9.

Pilot randomized trial of cognitive-behavioral treatment plus contingency management for quitting smoking and weight gain prevention among smokers with overweight or obesity. García-Fernández G, Krotter A, García-Pérez Á, Aonso-Diego G, Secades-Villa R. Drug Alcohol Depend. 2022 Apr 29;236:109477. doi: 10.1016/j.drugalcdep.2022.109477.

Comparison of weight loss data collected by research technicians versus electronic medical records: the PROPEL trial. Katzmarzyk PT, Mire EF, Martin CK, Newton RL Jr, Apolzan JW, Price-Haywood EG, Denstel KD, Horswell R, Chu ST, Johnson WD; PROPEL Research Group. *Int J Obes (Lond)*. 2022 May 6. doi: 10.1038/s41366-022-01129-9.

Prevalence of overweight, obesity, and early adiposity rebound in nursery school children in southeastern France. Roth B, Reynaud R, Nègre V, Gentile S, Pauly V, Bernard O. *Arch Pediatr*. 2022 May 3:S0929-693X(22)00089-6. doi: 10.1016/j.arcped.2022.03.001.

The potential epidemiologic, clinical, and economic impact of requiring schools to offer Physical Education (PE) classes in Mexico City. Ferguson MC, Bartsch SM, O'Shea KJ, Thomas DM, Moran TH, Solano Gonzales M, Wedlock PT, Nyathi S, Morgan M, Chin KL, Scannell SA, Hertenstein DL, Domino M, Ranganath K, Adam A, Tomaino Fraser K, Fraser A, Lee BY. *PLoS One*. 2022 May 6;17(5):e0268118. doi: 10.1371/journal.pone.0268118.

Excess mortality associated with elevated body weight in the USA by state and demographic subgroup: A modelling study. Ward ZJ, Willett WC, Hu FB, Pacheco LS, Long MW, Gortmaker SL. *EClinicalMedicine*. 2022 Apr 28;48:101429. doi: 10.1016/j.eclim.2022.101429.

"Obesities": Position Statement on a complex disease entity with multifaceted drivers. Yáñez-Esquiroz P, Olazarán L, Aguas-Ayesa M, Perdomo CM, García-Goñi M, Silva C, Fernández-Formoso JA, Escalada J, Montecucco F, Portincasa P, Frühbeck G. *Eur J Clin Invest*. 2022 May 6:e13811. doi: 10.1111/eci.13811.

African Americans' Perceptions of Nutrition Interventions: A Scoping Review. Greene M, Houghtaling B, Sadeghzadeh C, De Marco M, Bryant D, Morgan R, Holston D. *Nutr Res Rev*. 2022 May 6:1-60. doi: 10.1017/S0954422422000099.

Early detection of childhood overweight and related complications in a Danish population-based cohort aged 2-8 years. Frithioff-Bøjsøe C, Lund MAV, Lausten-Thomsen U, Fonvig CE, Lankjær IOJ, Hansen T, Hansen T, Baker JL, Holm JC. *Obes Res Clin Pract*. 2022 Apr 22:S1871-403X(22)00028-X. doi: 10.1016/j.orcp.2022.04.001.

Bone mineral density and body composition in normal weight, overweight and obese children. López-Peralta S, Romero-Velarde E, Vásquez-Garibay EM, González-Hita M, Robles-Robles LC, Ruiz-González FJ, Pérez-Romero MA. *BMC Pediatr*. 2022 May 5;22(1):249. doi: 10.1186/s12887-022-03317-y.

Using Systems Science for Strategic Planning of Obesity Prevention and Treatment: The Roundtable on Obesity Solutions Experience. Pronk NP, Eneli I, Economos CD, Bradley D, Fassbender J, Calancie L, Patawaran W, Hovmand PS; Members of the Roundtable on Obesity Solutions (ROOS). *Curr Probl Cardiol*. 2022 May 2:101240. doi: 10.1016/j.cpcardiol.2022.101240.

Are Physical Activity and Sedentary Screen Time Levels Associated With Food Consumption in European Adolescents? The HELENA Study. Moradell A, Santaliestra-Pasías AM, Aparicio-Ugarriza R, Huybrechts I, Bertalanné Szommer A, Forsner M, González-Gross M, Kafatos A, Androutsos O, Michels N, Sjöström M, Vanhelst J, Widhalm K, Gutierrez A, Moreno LA; HELENA study group. *J Am Nutr Assoc*. 2022 Apr 22:1-12. doi: 10.1080/07315724.2021.1978900.

Social Environment and Food and Beverage Intake in European Adolescents: The Helena Study. Santaliestra-Pasías AM, Felez AP, Huybrechts I, Censi L, González-Gross M, Forsner M, Sjöström M, Lambrinou CP, Amaro F, Kersting M, Molnar D, Kafatos A, De Henauw S, Beghin L, Dellallongeville J, Widhalm K, Gilbert C, Marcos A, Fisberg M, Goulet O, Moreno LA; HELENA study group. *J Am Nutr Assoc.* 2022 Apr 4:1-13. doi: 10.1080/07315724.2021.1917462.

Techniques for Advertising Healthy Food in School Settings to Increase Fruit and Vegetable Consumption. Oke S, Tan M. *Inquiry.* 2022 Jan-Dec;59:469580221100165. doi: 10.1177/00469580221100165.

Smartphone Usage Patterns and Dietary Risk Factors in Adolescents. Ryu S, Jang H, Oh H. *J Nutr.* 2022 May 2:nxac098. doi: 10.1093/jn/nxac098.

Association of the Healthy, Hunger-Free Kids Act of 2010 With Body Mass Trajectories of Children in Low-Income Families. Richardson AS, Weden MM, Cabreros I, Datar A. *JAMA Netw Open.* 2022 May 2;5(5):e2210480. doi: 10.1001/jamanetworkopen.2022.10480.

Determinants of rapid infant weight gain: A pooled analysis of seven cohorts. Zheng M, Hesketh KD, Vuillermin P, Dodd J, Wen LM, Baur LA, Taylor R, Byrne R, Mihrshahi S, Sly PD, Tang MLK, Campbell KJ. *Pediatr Obes.* 2022 May 5:e12928. doi: 10.1111/ijpo.12928.

What factors drive gender differences in the body mass index? Evidence from Turkish adults. Caglayan-Akay E, Ertok-Onurlu M, Komuryakan F. *J Biosoc Sci.* 2022 May 5:1-26. doi: 10.1017/S0021932022000190.

United for health to improve urban food environments across five underserved communities: a cross-sector coalition approach. Payán DD, Lewis LB, Illum J, Hawkins B, Sloane DC. *BMC Public Health.* 2022 May 4;22(1):888. doi: 10.1186/s12889-022-13245-2.

Coaction of Exercise and Eating Improvements Within a Behavioral Obesity Treatment: Directionality and Psychological Mechanisms. Annesi JJ. *Res Q Exerc Sport.* 2022 May 4:1-13. doi: 10.1080/02701367.2022.2057904.

Underinvestment in nutrition research for at-risk populations: An analysis of research funding awarded in Australia from 2014 to 2021. Alston L, Raeside R, Jia SS, Partridge SR. *Nutr Diet.* 2022 May 3. doi: 10.1111/1747-0080.12740.

"We'd be really motivated to do something about it": a qualitative study of parent and clinician attitudes towards predicting childhood obesity in practice. Canfell OJ, Littlewood R, Wright ORL, Walker JL. *Health Promot J Austr.* 2022 May 3. doi: 10.1002/hpj.a.611.

The i-ACT™ in Obesity educational intervention: a pilot study on improving Canadian family physician care in obesity medicine. Wharton S, Macklin D, Morin MP, Blavignac J, Menzies S, Garofalo L, Francisco MA, Thomas C, Barakat M. *BMC Prim Care.* 2022 May 2;23(1):101. doi: 10.1186/s12875-022-01715-w.

There is a clinical need to consider the physical activity - sedentary pattern in children with obesity. Position paper of the European Childhood Obesity Group. Julian V, Ring-Dimitriou S, Wyszyńska J, Mazur A, Matłosz P, Frelut ML, Erhardt E, Vlachopapadopoulou E, Forslund A, Boyland E, Weghuber D, Thivel D. *Ann Nutr Metab.* 2022 May 2. doi: 10.1159/000524570.

Associations Between Fitness, Physical Activity, and Fatness in Preschool Children With Typical and Atypical Motor Coordination. Keating SE, Mielke GI, King-Dowling S, Timmons BW, Kwan M, Cairney J. *Front Pediatr.* 2022 Apr 15;10:756862. doi: 10.3389/fped.2022.756862

Reference Values for Wristband Accelerometry Data in Children Aged 6-11 Years of Age. Lammers AE, Romanowski AL, Baumgartner H, Diller GP, Uebing A. *Front Pediatr.* 2022 Apr 12;10:808372. doi: 10.3389/fped.2022.808372.

Investigating the Social Network Structure of Physical Literacy Scholars to Advance a Paradigm for Physical Activity Promotion. Lower-Hoppe LM, Kim ACH, Brzoch SM, Zwolski CM, Schmitt L, Paponetti MK, Quatman-Yates CC. *Front Sports Act Living.* 2022 Apr 12;4:809946. doi: 10.3389/fspor.2022.809946.

The Relation of Grit to Weight Loss Maintenance Outcomes. Call CC, D'Adamo L, Crane NT, Hagerman CJ, Butryn ML. *J Contextual Behav Sci.* 2022 Apr;24:60-64. doi: 10.1016/j.jcbs.2022.03.008.

Impact of digital monitoring on compliance and outcome of lifestyle-change measures in patients with coexistent atrial fibrillation and obesity. Mohanty S, Trivedi C, Della Rocca DG, Gianni C, MacDonald B, Mayedo A, Shetty S, Natale E, Burkhardt JD, Bassiouny M, Gallinghouse GJ, Horton R, Al-Ahmad A, Natale A. *Cardiovasc Digit Health J.* 2022 Jan 22;3(2):75-79. doi: 10.1016/j.cvdhj.2022.01.001.

Associations between weight loss history and factors related to type 2 diabetes risk in the Stop Diabetes study. Halali F, Lapveteläinen A, Aittola K, Männikkö R, Tilles-Tirkkonen T, Järvelä-Reijonen E, Absetz P, Kolehmainen M, Schwab U, Lindström J, Lakka TA, Pihlajamäki J, Karhunen L. *Int J Obes (Lond).* 2022 May;46(5):935-942. doi: 10.1038/s41366-021-01061-4.

Preventing postpartum weight retention following antenatal lifestyle intervention: One year postpartum follow up of the Healthy Lifestyles in Pregnancy (HeLP-her) randomised controlled trial. Li HZ, Boyle JA, Harrison CL. *Aust N Z J Obstet Gynaecol.* 2022 Apr;62(2):319-322. doi: 10.1111/ajo.13463.

Body weight perception and physical activity among young adults: Analysis from the national longitudinal study of adolescent to adult health. Mahat G, Zha P. *J Am Coll Health.* 2022 May-Jun;70(4):1257-1264. doi: 10.1080/07448481.2020.1791881.

[back to top]

International: Research related to COVID-19

Associations of mothers' and fathers' structure-related food parenting practices and child food approach eating behaviors during the COVID pandemic. Jansen E, Smith K, Thapaliya G, Sadler J, Aghababian A, Carnell S. *Physiol Behav.* 2022 May 2;252:113837. doi: 10.1016/j.physbeh.2022.113837.

Impact of COVID-19 on physical activity: A rapid review. Park AH, Zhong S, Yang H, Jeong J, Lee C. *J Glob Health.* 2022 Apr 30;12:05003. doi: 10.7189/jogh.12.05003.

Health promoting schools and COVID-19: preparing for the future. Sormunen M, Lattke L, Leksy K, Dadaczynski K, Sakellari E, Velasco V, Borzucka-Sitkiewicz K, Miranda-Velasco MJ, Rabaglietti E, Rosário R. *Scand J Public Health.* 2022 May 1:14034948221091155. doi: 10.1177/14034948221091155.

Relationship between parents' and children's objectively assessed movement behaviours prior to and during the COVID-19 pandemic. García-Alonso Y, García-Hermoso A, Izquierdo M, Legarra-Gorgoñon G, Ramírez-Vélez R, Alonso-Martínez AM. Pediatr Obes. 2022 Apr 30:e12923. doi: 10.1111/ijpo.12923.

[\[back to top\]](#)

Systematic reviews

No papers identified in this week's search

[\[back to top\]](#)